



Find:

[Documents](#)

[Citations](#)

Searching for **cellular automata and random and number**.

Restrict to: [Header](#) [Title](#) Order by: [Expected citations](#) [Hubs](#) [Usage](#) [Date](#) Try:

[Google \(CiteSeer\)](#) [Google \(Web\)](#) [Yahoo!](#) [MSN](#) [CSB](#) [DBLP](#)

52 documents found. **Order: number of citations.**

[Revisiting the Edge of Chaos: Evolving Cellular Automata to.. - Mitchell \(1993\) \(Correct\)](#)
[\(27 citations\)](#)

Revisiting the Edge of Chaos: Evolving **Cellular Automata** to Perform Computations
Melanie Mitchell

GacsKurdyumov -Levin (GKL) binary-state CA on two **random** initial configurations of
different densities of
in one of k states. We denote the lattice size or **number** of cells as N .A CA has a single
fixed rule used
<ftp.santafe.edu/pub/mm/rev-edge.ps.Z>

**One or more of the query terms is very common - only partial results have been
returned. Try [Google \(CiteSeer\)](#).**

[Genomic Regulation Modeled As A Network With Basins Of Attraction - Wuensche \(1998\)](#)
[\(Correct\) \(22 citations\)](#)

discrete dynamical networks. An example are **cellular automata**, a powerful yet simple
class of network,
of idealized models 1213 in particular "**random** Boolean networks"Cell types have been
explained
element may have a different wiring, rule and **number** of input wires k. The system is
iterated. cell.
www.santafe.edu/~wuensch/h_att4.ps.gz

[Evolution of Intricate Long-Distance Communication Signals in .. - Andre, III, al. \(1996\)](#)
[\(Correct\) \(14 citations\)](#)

Long-Distance Communication Signals in **Cellular Automata** Using Genetic Programming
David Andre
space. 2. Automatic Programming of **Cellular Automata** **Cellular automata** are an
abstract way of studying
for automatic programming of **cellular automata** randomizers (Koza 1992)3. The Majority
www.genetic-programming.com/alife-gkl-96.ps

[Coevolving Cellular Automata: Be Aware of the Red Queen! - Paredis \(1997\) \(Correct\)](#)
[\(13 citations\)](#)

(ed.Morgan Kaufmann Publishers. Coevolving **Cellular Automata**: Be Aware of the Red
Queen! Jan Paredis
of 320. Furthermore, they initialize the CAs **randomly** without bias, i.e. each bit has an
equal chance
sorting network architectures and sets of lists of **numbers** on which the sorting networks
are tested. In

saturn.matriks.unimaas.nl/CE/paredis/ICGA97.ps

Evolving Cellular Automata with Genetic Algorithms: A.. - Mitchell, Crutchfield, .. (1996)
(Correct) (8 citations)

Evolving **Cellular Automata** with Genetic Algorithms: A Review of Recent genetic programming to evolve CAs for simple **random-number** generation. Our work builds on that of programming to evolve CAs for simple **random-number** generation. Our work builds on that of Packard
www.santafe.edu/~evca/evca-review.ps

Four Problems for which a Computer Program Evolved by Genetic.. - Koza (1996)
(Correct) (8 citations)

examples of problems (from the fields of **cellular automata** and molecular biology) in which genetic programming starts with a primordial ooze of **randomly** generated computer programs composed of the
The topology of a circuit consists of the **number** of components in the circuit, the type of each
www.genetic-programming.com/icec-96.ps

Time Out of Joint: Attractors in Asynchronous Random Boolean .. - Harvey, Bossomaier (1997) (Correct) (7 citations)

interconnect and interact in large **numbers**. **Cellular automata** (CAs) and **Random Boolean Networks** (RBNs)
Time Out of Joint: Attractors in Asynchronous **Random Boolean Networks** Inman Harvey 1 and Terry
phenomena and simplify into systems with a small **number** of concepts. Complex behaviour can be generated
<ftp.cogs.susx.ac.uk/pub/ecal97/online/F164.ps.gz>

A Classification of Long-Term Evolutionary Dynamics - Bedau, Snyder, Packard (1998)
(Correct) (6 citations)

familiar, with Wolfram 's classification of **cellular automata** rules being one well-known example (Wolfram
in Holland's Echo model (Holland 1992)in a **random-selection** adaptivelyneutral "shadow" of Echo, and
the system's diversity, $D(t)$ which is simply the **number** of components present at time t , $D(t)$
fi :a i
www.inet.gda.pl/ai/www.santafe.edu/sfi/publications/Working-Papers/98-03-025.ps

Non-Uniform Cellular Automata: Evolution in Rule Space and.. - Moshe Sipper (1994)
(Correct) (4 citations)

copyright The MIT Press 1994. Non-Uniform **Cellular Automata**: Evolution in Rule Space and Formation of
is on evolution in rule space starting from a **random** gene pool, i.e. rule population. The second model
each cell obeys the same rule and has a finite **number** of states. In this paper we study non-uniform

lslsun5.epfl.ch/~moshes/alife4.ps.gz.

Discovery of Self-Replicating Structures Using A Genetic.. - Lohn, Reggia (1995) (Correct)
(3 citations)

Life. Most of this work is based on **cellular automata** (CA) a model first used by von Neumann to results in all automata being destroyed, and the **random** winner policy which **randomly** selects one automata for example, with $N = 4$, $A = \{A, B, C, D\}$. The **number** of automata of type a in a simulation at a ftp.cs.umd.edu/pub/complex/icec95_paper.ps.gz

Tight bounds on periodic cell configurations in Life - Buckingham, Callahan (1997)
(Correct) (3 citations)

configurations, or oscillators, occur in many **cellular automata** (CA) In an oscillator, repeated low-period oscillators arising repeatedly from **random** initial states. There is no obvious connection the period of an oscillator to be the smallest **number** of rule applications needed to restore it to its condor.cs.jhu.edu/pub/paultmp/osc.ps.gz

Generating Parallel Random Number Generators By Cellular.. - Sipper, al. (1996)
(Correct) (3 citations)

a difficult task. In this paper non-uniform **cellular automata** (CA) are studied, presenting the cellular Scientific Publishing Company Generating Parallel **Random Number** Generators By Cellular Programming Moshe Publishing Company Generating Parallel **Random Number** Generators By Cellular Programming Moshe Sipper lslwww.epfl.ch/~marco/carand_ijmpc.ps

Evolutionary Automata - Shanahan (1994) (Correct) (3 citations)

are based on abstract automata, in particular **cellular automata** [Packard, 1988] [Langton, 1990] and within a computational medium. The organisms move **randomly** around a microworld, eat, reproduce asexually artificial (for example, Ray, 1990] Second, a **number** of computer experiments have been conducted which www-lp.doc.ic.ac.uk/~lp/Shanahan/evol_aut.ps.Z

Partially Permutive Cellular Automata - Kari Eloranta (1993) (Correct) (3 citations)

8/1993 Partially permutive **cellular automata** Kari Eloranta Institute of Mathematics the interaction of subalphabets can generate **random** walks as well as their degenerate forms. A estimates for quantities like entropy. Since a **number** of **cellular automata** c.a. from this on) also dopey.hut.fi/~kve/tiles/nont.ps.gz

Dynamic Load-balancing Strategies for Data Parallel.. - Mark Smith (1993) (Correct)
(3 citations)

such as molecular dynamics, lattice gas **cellular automata** and cosmological modelling is to perform a
each species can be successively adapted through **random** mutation. If these implementations are then
simulations. Thus details are given of a **number** of dynamic load-balancing strategies to counter
<ftp.epcc.ed.ac.uk/pub/tr/93/tr9302.ps.Z>

Implicit Test Pattern Generation Constrained to Cellular.. - Fummi, Sciuto (1997) (Correct)
(2 citations)

Test Pattern Generation Constrained to **Cellular Automata** Embedding F.Fummi D.Sciuto
Dip. di
at the beginning for the generation of pseudo-**random** test patterns [10] then for embedding
considered as combinational thus decreasing the **number** of physical defects which can be identified by
<ipeca4.elet.polimi.it/pub/paper/fs97b.ps.gz>

Application Of Time Warp To Parallel Simulations With.. - Overeinder, Sloot (1993) (Correct)
(2 citations)

To Parallel Simulations With Asynchronous **Cellular Automata** B. J. Overeinder And P. M. A. Sloot
and can occur asynchronously and at unpredictable **random** times. State changes with these characteristics
of cells. Each cell is provided with a finite **number** of states and evolves in time according to well
www.wins.uva.nl/research/pscs/papers/./papers/archive/Overeinder93_1.ps.gz

Log Time Parsing on the MasPar MP-1 - Randall Helzerman (1992) (Correct)
(2 citations)

For example, Kosaraju's method [6] using **cellular automata** can parse CFGs in $O(n)$ time using $O(n^2)$
of $O(\log^2 n)$ using a CREW P-RAM (Parallel **Random** Access Machine) model, but requires $O(n^6)$
in $O(k)$ time for a CRCW P-RAM, where n is the **number** of words in the sentence and k , the **number** of
transform.ecn.purdue.edu/pub/speech/papers/icpp92.ps.Z

CAM-Brain: A New Model for ATR's Cellular Automata Based.. - Gers, de Garis (1996) (Correct)
(2 citations)

CAM-Brain: A New Model for ATR's **Cellular Automata** Based Artificial Brain Project Felix Gers
Algorithms, Genetic Encoding, **Cellular Automata**, **Cellular Automata** Machine (CAM-8) Evolvable
To each grown neuron a "chromosome" block of **random** growth instructions
Single Cell 'Seeds' for the Neuron

www.idsia.ch/~felix/./CAMBrain-Old-New-Model.ps.gz

Classifying Cellular Automata Automatically - Wuensche (1998) (Correct) (2 citations)
Classifying **Cellular Automata** Automatically Andy Wuensche Santa Fe
family of k=5 rules (shown in hex) from the same **random** initial state, n=150. Time
proceeds from the top
from left to right[10]The outputs make a binary **number** with (2 2 k bits, given in hex, or
decimal
www.santafe.edu/~wuensch/alife6.ps.gz

First 20 documents Next 20

Try your query at: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [Yahoo!](#) [MSN](#) [CSB](#)
[DBLP](#)

CiteSeer.IST - Copyright [Penn State](#) and [NEC](#)



Find:

[Documents](#)

[Citations](#)

Searching for **cellular automata and random and number**.

Restrict to: [Header](#) [Title](#) Order by: [Expected citations](#) [Hubs](#) [Usage](#) [Date](#) Try:

[Google \(CiteSeer\)](#) [Google \(Web\)](#) [Yahoo!](#) [MSN](#) [CSB](#) [DBLP](#)

52 documents found. **Order: number of citations.**

[Classifying Cellular Automata Automatically; Finding gliders.. - Wuensche \(1998\)](#) [\(Correct\)](#)
[\(2 citations\)](#)

Classifying **Cellular Automata** Automatically Finding gliders, Itering,
CA with interacting gliders. 308 time-steps from a **random** initial state. System size n=700,
Neighbourhood
[3]Glider dynamics can be seen from an **number** of overlapping perspectives: Wolfram's
complex
www.santafe.edu/~wuensch/cplex.ps.gz

[Toward the Realization of an Evolving Ecosystem on Cellular.. - Sayama \(1999\)](#) [\(Correct\)](#)
[\(1 citation\)](#)

the Realization of an Evolving Ecosystem on **Cellular Automata** Hiroki Sayama
Department of Information
diagram of this device. It generates **random** signal sequences filled with a mixture of a
2: Temporal development of the diversity (the **number** of species) of evoloops in several
cases with
proton.is.s.u-tokyo.ac.jp/pub/paper/sayamaAROB99.ps.gz

[Stream Ciphers - Robshaw \(1995\)](#) [\(Correct\)](#) [\(1 citation\)](#)

: 28 7.5.2 **Cellular automata** :29
:28 7.5.1 **Randomized** ciphers :
:25 7.3 **Number**-theoretic techniques :
www.rsa.com/rsalabs/pubs/techreports/tr-701.ps.gz

[No Two-State CA for Density Classification Exists - Land, Belew \(1994\)](#) [\(Correct\)](#)
attempts to evolve one-dimensional two-state **cellular automata** which classify binary
strings according to

as good as GKL. Solutions were tested by picking **random** initial configurations with a
uniform
powerful class of algorithmic specifications. A **number** of investigations into the relationship
between
www-cse.ucsd.edu/users/mland/ca_tech.ps

[Evaluating Parallel Random Number Generators - William Mahoney](#) [\(Correct\)](#)

lagged Fibonacci, shift register, and **cellular automata**. 2.1 Multiplicative Linear
Congruential

Evaluating Parallel **Random Number** Generators William E. Mahoney y Paul
Evaluating Parallel **Random Number** Generators William E. Mahoney y Paul D.
ftp.npac.syr.edu/pub/projects/reu/reu93/papers/Mahoney.ps.Z

Exact solutions for a mean-field Abelian sandpile - Janowsky, Laberge (1993) (Correct)

interest in the study of certain class of **cellular automata** models now commonly known as "sandpiles"

Ng. We drop a grain of sand on a site i chosen at **random**, thereby increasing its height by one: $h(i)$

in general. Unfortunately, even though the **number** of models (i.e. sets of dynamical rules) rene.ma.utexas.edu/mp_arc/c/93/93-176.ps.gz

A new version of Toom's proof - Gács (1995) (Correct)

modulo the potentially infinite modulus m . **Cellular automata** in other dimensions are defined similarly.

Partially supported by NSF grant CCR-9204284 A **random** evolution is a pair (j) where j is a measure

if n nodes of Expl belong to Noise 0 then the **number** of edges of Expl is at most $4n \setminus \Gamma_4$. This

www.cs.bu.edu/ftp/gacs/papers/toom-proof.ps.Z

Periodicity and Transport from Round-Off Errors - Vivaldi (Correct)

[Karney 1983] to represent maps as **cellular automata** [Kaneko 1988] and to construct numerically

evidence that the limiting behaviour is a **random** walk where the step size is modulated by a

which can be effectively represented as algebraic **numbers** in the field generated over the rationals by the

www.expmath.com/restricted/3/3.4/vivaldi.ps.gz

Random Walks in Cellular Automata - Kari Eloranta (1993) (Correct)

8/1993 **Random** walks in **cellular automata** Kari Eloranta Institute of Mathematics

8/1993 **Random** walks in **cellular automata** Kari Eloranta

defects or phase boundaries discerned in a **number** of one-dimensional **cellular automata** appear to

dopey.hut.fi/~kve/walks/nonw.ps.gz

Emergent Computation in Cellular Automata - Rajarshi Das (1998) (Correct)

Emergent Computation in **Cellular Automata** Rajarshi Das Center for Nonlinear Studies, 0 Site 0 148 Figure 1: A space-time diagram for a **randomly** generated $r=3$ binary-state cellular

CAs for the task above is difficult for a **number** of reasons. First, the **number** of possible CAs

cnls.lanl.gov/Highlights/1998-10/October_98.ps.gz

Landau Theory of Social Clustering - Dariusz Plewczynski (Correct)

framework for these class of probabilistic **cellular automata** [4][5][6][7] models was proposed by

standard theory of ferromagnet. 2. Disorder and **random** "strength" parameters. Each individual is

clusters behavior in the stationary limit. PACS **number**: 64.60.My, 74.20.De, 31.15.Bs, 12.40.Ee 1

www.ichf.edu.pl/~darman/Science/social.ps

The Cells Start Walking: Moving Objects in CDL++ - Hochberger, Hoffmann.. (Correct)
 a two-phased CDL program. 1 Motivation The **cellular automata** (CA) computation model is based on the
 be resolved in a well defined deterministic or **random** way. 2 The Problem 2.1 Moving Objects Discrete
 because write conflicts cannot occur. A large **number** of natural and artificial applications can be
www.isa.informatik.th-darmstadt.de/MP/Publikationen/ACRI98_paper.ps

Cellular Automata for Contour Dynamics - Eloranta (1995) (Correct)
 4/1995 **Cellular automata** for contour dynamics Kari Eloranta
 we restrict ourselves to rules exhibiting (pseudo) **random** contour dynamics (1]Some of the rules are
 heavily relied on simulations. Through these a **number** of useful rules have emerged. But their
dopey.hut.fi/~kve/adc/physD3.ps.gz

Wave Propagation in Urban Microcells: a Massively Parallel .. - Luthi, Chopard, Wagen (Correct)
 on a lattice. This method is inspired by the **cellular automata** modeling techniques[6, 7] and allows
 technique to simulate propagation phenomena in **random** media[11, 12] and is very appropriate to
 of the future mobile communication systems. As the **number** of users increases, several base stations should
cui.unige.ch/PUBLIC/chopard/PARA95/TLM/tlm-no-fig.ps.gz

Chasing: A Mechanism for Resistance against Parasites in.. - Cronhjort, Blomberg (Correct)
 performed calculations on two dimensional **cellular automata** models with cluster formation for various
 equations) PDE) or by **cellular automata** (CA) with **random** rules. Basically, these two models can exhibit
 lead to spatial patterns which appear for a large **number** of different applications [1, 2, 3, 4]They have
www.theophys.kth.se/~mic/alife5.ps

Astronomy And Astrophysics - Solar Flare (Correct)
 Astronomy And Astrophysics Solar Flare **Cellular Automata** Interpreted As Discretized Mhd Equations
 field on a spatial grid. They usually have a **random** loading function during their quiet evolution
 systems, i.e. systems which consist of a large **number** of interacting subsystems. The essence of the CA
www.astro.auth.gr/Science-Subjects/Plasma/webpapers/aa3.ps

Some Statistical Analyses of Fitness Landscape Created by the.. - Imada, Araki (Correct)

traveling salesman problem [12]elementary **cellular automata** [13]and of Kauffman's M-K model [14]

in this paper, when synaptic weights are selected **randomly**, can be considered as the memory is a dynamical system which has a **number** of stable states with a domain of attraction

fukuda.aist-nara.ac.jp/~akira-i/itc-cscc-98.ps

Neural Computation Methods And Applications - Summary Talk of the.. - Horn (Correct)

BP backpropagation GA genetic algorithm CA **cellular automata** SA simulated annealing FL fuzzy logic

Sa 48 Ca Ga Density Calssification Applied To **Random Number** Generation 49 Nn Feedback Is Important In

the title, which is given in the reference whose **number** appears in the first column. The order in each

www.brain.tau.ac.il/~horn/.publications/summary.ps.Z

Crystalline Computation - Ti On (Correct)

whether crystalline arrays of logic called **Cellular Automata** (CA) might be able to simulate our known

to design, control, build and test than a more **randomly** structured machine. The prospect of efficient

ordinary computer takes an exponentially greater **number** of bits than the **number** of spins. This would make

psoup.math.wisc.edu/papers/margolus.ps.gz

A GA-based approach to solve simultaneous linear.. -.. (Correct)

the pioneering work by Von Neumann [1] on **cellular automata**) and mechanical systems [2]the concept

that is the cross-over of both this is done by **randomly** choosing a position in the vector (its i th

to any system of equations. We start from a given **number** of unkowns N and equations M as in, a 11 x 1

www.labs.bt.com/projects/ftg/docs/ps/ga3.ps.gz

Documents 21 to 40 Previous 20 Next 20

Try your query at: Google (CiteSeer) Google (Web) Yahoo! MSN CSB
DBLP

CiteSeer.IST - Copyright Penn State and NEC

CiteSeerFind: [Documents](#)[Citations](#)Searching for **cellular automata and random and number**.Restrict to: [Header](#) [Title](#) Order by: [Expected citations](#) [Hubs](#) [Usage](#) [Date](#) Try:[Google \(CiteSeer\)](#) [Google \(Web\)](#) [Yahoo!](#) [MSN](#) [CSB](#) [DBLP](#)52 documents found. **Order: number of citations.**[Detc98/mech-5840 - Evolutionary Techniques](#) (Correct)

geometric (Hubbard and Antonsson, 1994) and **cellular automata** (Hubbard and Antonsson, 1997) methods. The mask-layouts using a genetic algorithm. An initial **random** population of geometrically valid mask-layouts lengths. The size of each string is equal to the **number** of polygon sides. Two elements from each string design.caltech.edu/Research/MEMS/Papers/98d_ga.ps.gz

[Garden of Eden states in traffic models - Schadschneider, Schreckenberg \(1993\)](#) (Correct)

The description of traffic flow using **cellular automata** (CA) is quite successful [1] despite the Garden of Eden (GoE) states do not exist for **random**-sequential dynamics and are responsible for the $v_j(t+1)$ cells. Here $d_j(t)$ denotes the **number** of empty cells in front of car j , i.e. the gap traffic.comphys.uni-duisburg.de/paper/goe.ps.gz

[The CEPRA-1X Cellular Processor - Hochberger, Hoffmann, Völkman.. \(1996\)](#) (Correct)

hardware supported computation based on the **cellular automata** model. This model is simple and massively of 3. FPGA Rule Line Shifter Global Parameter **Random** Generator FIFO-out FIFO-in Figure 3: The line and reaction/diffusion systems[9]2. The low **number** of local connections allows an efficient hardware www.isa.informatik.th-darmstadt.de/MP/Publikationen/cepra1x.ps

[Unknown - Moves To](#) (Correct)

20 Turbulent Pattern Bases for **Cellular Automata** Figure 9(d) shows a slower rate of we note that the expected form for an ideal **random** walk is $\sigma(t) \propto t^{1/2}$ with D constant. For plume volume $L(t)$ This is the total **number** of walls in the interface, given by the sum over ftp.santafe.edu/pub/CompMech/papers/TurBases.pp25-32.ps.Z

[The Evolutionary Design of Collective Computation in.. - Crutchfield, Mitchell](#) (Correct)

Design of Collective Computation in **Cellular Automata** James P. Crutchfield y Santa Fe computer architectures with central control, **random** access memory, and insect societies consist of features of systems in nature listed above: large **numbers** of homogeneous components (simple finite state

www.santafe.edu/~evca/EvDens.ps.gz

Searching for Chaos in Cellular Automata: New Tools for.. - Flocchini And (1994)
(Correct)

Searching for Chaos in **Cellular Automata**: New Tools for Classification P. Flocchini
fixed-point attraction, periodicity, seemingly **random** orbits. Otherwise, since the system is
transfinite iterations. The class of ordinal **numbers** (denoted O) is well ordered by the
classical .
ftp.info.ucl.ac.be/pub/publi/94/gf_cs94_1.ps.Z

Local Structure Theory: Calculation on hexagonal arrays.. - Gutowitz, Victor (1987)
(Correct)

theory calculations 7 to the study of **cellular automata** on the two-dimensional hexagonal
lattice. A
from application of rules of the form (xy22) to a **random**, 50Three of the rules result in limit
regular lattice of cells, each with a finite **number** of states. An interaction rule specifies the
<ftp.santafe.edu/pub/hag/hex.ps>

An Improved Cellular Automaton Model for Traffic Flow Simulation - Emmerich, Rank
(Correct)

An Improved **Cellular** Automaton Model for Traffic Flow Simulation H.
<itp.nat.uni-magdeburg.de/~hemmeric/forschung/papers/implicit.ps.gz>

On the Amount of Randomness Needed in Distributed Computations - Codenotti Gemmell
(Correct)

processors. Although this model, inspired by **cellular automata**, is not very realistic for
distributed
On the amount of **randomness** needed in distributed computations B.
Simon x November 12, 1996 Abstract We treat the **number** of **random** bits as a
computational resource in
www.cs.uchicago.edu/~simon/DistRand.ps

Biological Metaphors for Evolving Artificial Cognitive Systems - Biondi, Michel, Clergue
(1995) (Correct)

currently several research areas. While **cellular automata** theory appears to be a
promising
order to prevent from loosing the best individual, **random** binary mutations, crossing-over,
and a **number** of
is extensively exploited through the use of a **number** of biologically inspired models.
Dynamical Neural
lamiftp.epfl.ch/pub/michel/publications/Namur95.ps.gz

Dynamics, Computation, and the "Edge of Chaos": A.. - Mitchell, Crutchfield.. (Correct)
behavior and computational capability in **cellular automata** (CAs)We present results from
an
between the difficulty of prediction and dynamical **randomness** is simply summarized by
the statement that
considering intrinsic computational structure, a **number** of "engineering" suggestions have

been made that
www.santafe.edu/~evca/DynCompEdge.ps

On Problems Related To Growth, Entropy And Spectrum In Group .. - Rostislav Grigorchuk (1997) (Correct)

theory, ffl [Gk8] and [MaM] for automata and **cellular automata** theory, ffl [VSC] for **random** walks, ffl

ergodic theory, ffl [Gk8] and [MaM] for automata and **cellular automata** theory, ffl [VSC] for **random**

growth series, G) spectral radius of simple **random** walks on Cayley graphs. From the modern point of

www.unige.ch/math/biblio/preprint/1997/pise.ps

Documents 41 to 52 [Previous 20](#)

Try your query at: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [Yahoo!](#) [MSN](#) [CSB](#)
[DBLP](#)

CiteSeer.IST - Copyright [Penn State](#) and [NEC](#)


[Return to the USPTO NPL Page](#) | [Help](#)

Marked List : 0 documents
[My Research Summary](#)
[Interfac](#)
[Englis](#)

Databases selected: Multiple databases...

[New scholarly features & content!](#)

Results

10 documents found for: ("cellular automata" and random and number and simulat*) AND PDN(<10/17/2001)

[Set up Alert](#)
[About](#)
[All sources](#) | [Scholarly Journals](#) | [Trade Publications](#) | [Dissertations](#)
☐ [Mark / Clear all on page](#)
[View marked documents](#)
☐ [Show all documents](#)

 Sort results by: [Most recent first](#)


-
- ☐ 1. **Using Complex Systems Analysis to Advance Marketing Theory Development: Modeling Heterogeneity Effects on New Product Growth through Stochastic Cellular Automata**
 Goldenberg, Jacob, Barak Libai, and Eitan Muller. *Academy of Marketing Science Review*. Vancouver: 2001. Vol. 2001; p. 1

[Full text](#)
 [Abstract](#)
 - ☐ 2. **Postmodernism revisited? Complexity science and the study of organisations**
 Jacco Van Uden, Kurt A Richardson, Paul Cilliers. *Tamara : Journal of Critical Postmodern Organization Science*. Las Cruces: 2001. Vol. 1, Iss. 3; p. 53 (15 pages)

[Text+Graphics](#)
 [Page Image - PDF](#)
 [Abstract](#)
 - ☐ 3. **A brief history of cellular automata**
 Palash Sarkar. *ACM Computing Surveys*. Baltimore: Mar 2000. Vol. 32, Iss. 1; p. 80 (28 pages)

[Page Image - PDF](#)
 [Abstract](#)
 - ☐ 4. **B801-B818 Varia**
 Cells Tissues Organs. Basel: 2000. Vol. 166, Iss. 1; p. 130

[Article image - PDF](#)
 [Citation](#)
 - ☐ 5. **Book review. Agricultural Economics and Management. KL Casavant, CL Infanger, DE Bridges**
 C Ritson. *European Review of Agricultural Economics*. Oxford: Jun 1999. Vol. 26, Iss. 2; p. 245

[Article image - PDF](#)
 [Citation](#)
 - ☐ 6. **Quo Vadis evolvable hardware?**
 Moshe Sipper, Daniel Mange, Eduardo Sanchez, Pierre Marchal. *Association for Computing Machinery. Communications of the ACM*. New York: Apr 1999. Vol. 42, Iss. 4; p. 50 (7 pages)

[Text+Graphics](#)
 [Page Image - PDF](#)
 [Abstract](#)

- ☐
7. **From control to participation via a science of qualities**
Brian Goodwin. ReVision. Washington: Spring 1999. Vol. 21, Iss. 4; p. 26 (10 pages)

[Full text](#)

[Page Image - PDF](#)

[Abstract](#)
- ☐
8. **Modelling the future of groundwater resources in central Spain**
Mark Mulligan, Sophie Burke. Environmental Management and Health. 1999. Vol. 10, Iss. 1; p. 41

[Full text](#)

[Abstract](#)
- ☐
9. **Clock-powered circuits set efficiency record**
Gail Robinson. Electronic Engineering Times. Manhasset: Dec 1, 1997. p. 37 (2 pages)

[Text+Graphics](#)

[Page Image - PDF](#)

[Citation](#)
- ☐
10. **LAB CAN CONSTRUCT VARIETY OF NETWORKS -- Chaos emerges for useful work**
R. COLIN JOHNSON. Electronic Engineering Times. Manhasset: Mar 6, 1995. p. 33

[Full text](#)

[Citation](#)

1-10 of 10

Want an alert for new results sent by email? [Set up Alert](#) [About](#)

Results per page: 30

Basic Search

Tools: [Search Tips](#) [Browse Topics](#) [1 Recent Searches](#)

"cellular automata" and random and number and simulat*

[Search](#) [Clear](#)

Database: [Multiple databases...](#) [Select multiple databases](#)

Date range: [Before this date...](#) [10/17/2001](#) [About](#)

Limit results to: ☒ Full text documents only

☐ Scholarly journals, including peer-reviewed [About](#)

[More Search Options](#)

Copyright © 2005 ProQuest Information and Learning Company. All rights reserved. [Terms and Conditions](#)

[Text-only interface](#)

From:ProQuest
COMPANY





IEEE Xplore®
1 Million Documents
1 Million Users
And Growing

» Search Results

Welcome to IEEE Xplore®

- Home
- What Can I Access?
- Log-out

Tables of Contents

- Journals & Magazines
- Conference Proceedings
- Standards

Search

- By Author
- Basic
- Advanced
- CrossRef

Member Services

- Join IEEE
- Establish IEEE Web Account
- Access the IEEE Member Digital Library

IEEE Enterprise

- Access the IEEE Enterprise File Cabinet

 Print Format

Full-text Search Prototype Results

Feedback

Help

Your search matched **32** of **1043403** documents.
A maximum of **500** results are displayed, **50** to a page, sorted by **Publication year** in **Ascending** order.

Refine This Search:

You may refine your search by editing the current search expression or entering a new one in the text box.

cellular automata and random and number and simula

Search

☐ Check to search within this result set

Results Key:

JNL = Journal or Magazine **CNF** = Conference **STD** = Standard

1 Recurrent neural nets as dynamical Boolean systems with application to associative memory

Watta, P.B.; Wang, K.; Hassoun, M.H.;
Neural Networks, IEEE Transactions on , Volume: 8 , Issue: 6 , Nov. 1997
Pages:1268 - 1280

[\[Abstract\]](#)

[\[PDF Full-Text \(496 KB\)\]](#)

IEEE JNL

2 On methods to match a test pattern generator to a circuit-under-test

Pomeranz, I.; Reddy, S.M.;
Very Large Scale Integration (VLSI) Systems, IEEE Transactions on , Volume: 6 , Issue: 3 , Sept. 1998
Pages:432 - 444

[\[Abstract\]](#)

[\[PDF Full-Text \(236 KB\)\]](#)

IEEE JNL

3 Good error-correcting codes based on very sparse matrices

Mackay, D.J.C.;
Information Theory, IEEE Transactions on , Volume: 45 , Issue: 2 , March 1999
Pages:399 - 431

[\[Abstract\]](#)

[\[PDF Full-Text \(1436 KB\)\]](#)

IEEE JNL

4 Proceedings of the first NASD/DoD workshop on evolvable hardware [Book Reveiws]

de Garis, H.;
Evolutionary Computation, IEEE Transactions on , Volume: 3 , Issue: 4 , Nov.

1999
Pages:304 - 306

[\[Abstract\]](#) [\[PDF Full-Text \(28 KB\)\]](#) [IEEE JNL](#)

5 The certainty factor-based neural network in continuous classification domains

Fu, L.-M.;

Systems, Man and Cybernetics, Part B, IEEE Transactions on , Volume: 30
, Issue: 4 , Aug. 2000
Pages:581 - 586

[\[Abstract\]](#) [\[PDF Full-Text \(144 KB\)\]](#) [IEEE JNL](#)

6 Subject Index

Computers, IEEE Transactions on , Volume: 49 , Issue: 12 , Dec. 2000
Pages:1384 - 1392

[\[Abstract\]](#) [\[PDF Full-Text \(84 KB\)\]](#) [IEEE JNL](#)

7 Extracting Boolean rules from CA patterns

Yang, Y.; Billings, S.A.;

Systems, Man and Cybernetics, Part B, IEEE Transactions on , Volume: 30
, Issue: 4 , Aug. 2000
Pages:573 - 580

[\[Abstract\]](#) [\[PDF Full-Text \(552 KB\)\]](#) [IEEE JNL](#)

8 Author Index

Computers, IEEE Transactions on , Volume: 49 , Issue: 12 , Dec. 2000
Pages:1380 - 1384

[\[Abstract\]](#) [\[PDF Full-Text \(72 KB\)\]](#) [IEEE JNL](#)

9 Toward robust integrated circuits: The embryonics approach

Mange, D.; Sipper, M.; Stauffer, A.; Tempesti, G.;

Proceedings of the IEEE , Volume: 88 , Issue: 4 , April 2000
Pages:516 - 543

[\[Abstract\]](#) [\[PDF Full-Text \(4188 KB\)\]](#) [IEEE JNL](#)

10 Cellular automata-based recursive pseudoexhaustive test pattern generator

Dasgupta, P.; Chattopadhyay, S.; Chaudhuri, P.P.; Sengupta, I.;

Computers, IEEE Transactions on , Volume: 50 , Issue: 2 , Feb. 2001
Pages:177 - 185

[\[Abstract\]](#) [\[PDF Full-Text \(384 KB\)\]](#) [IEEE JNL](#)

11 Parallel hybrid method for SAT that couples genetic algorithms and local search

Folino, G.; Pizzuti, C.; Spezzano, G.;

Evolutionary Computation, IEEE Transactions on , Volume: 5 , Issue: 4 , Aug. 2001

Pages:323 - 334

[\[Abstract\]](#) [\[PDF Full-Text \(248 KB\)\]](#) IEEE JNL

12 IEEE 2001 International Geoscience And Remote Sensing Symposium

Geoscience and Remote Sensing Symposium, 2001. IGARSS '01. IEEE 2001 International , Volume: 1 , 9-13 July 2001
Pages:i - lxxxiv

[\[Abstract\]](#) [\[PDF Full-Text \(643 KB\)\]](#) IEEE CNF

13 Artificial worlds modeling of human resource management systems

Jong-Chen Chen; Tze-Lan Lin; Mao-Hung Kuo;
Evolutionary Computation, IEEE Transactions on , Volume: 6 , Issue: 6 , Dec. 2002
Pages:542 - 556

[\[Abstract\]](#) [\[PDF Full-Text \(651 KB\)\]](#) IEEE JNL

14 Evolution of digital images

Jones, M.E.; Agah, A.;
Systems, Man and Cybernetics, Part C, IEEE Transactions on , Volume: 32 , Issue: 3 , Aug. 2002
Pages:261 - 271

[\[Abstract\]](#) [\[PDF Full-Text \(807 KB\)\]](#) IEEE JNL

15 Nanocell logic gates for molecular computing

Tour, J.M.; Van Zandt, W.L.; Husband, C.P.; Husband, S.M.; Wilson, L.S.; Franzon, P.D.; Nackashi, D.P.;
Nanotechnology, IEEE Transactions on , Volume: 1 , Issue: 2 , June 2002
Pages:100 - 109

[\[Abstract\]](#) [\[PDF Full-Text \(1245 KB\)\]](#) IEEE JNL

16 Parallelism and evolutionary algorithms

Alba, E.; Tomassini, M.;
Evolutionary Computation, IEEE Transactions on , Volume: 6 , Issue: 5 , Oct. 2002
Pages:443 - 462

[\[Abstract\]](#) [\[PDF Full-Text \(366 KB\)\]](#) IEEE JNL

17 Extending the road beyond CMOS

Hutchby, J.A.; Bourianoff, G.I.; Zhirnov, V.V.; Brewer, J.E.;
Circuits and Devices Magazine, IEEE , Volume: 18 , Issue: 2 , March 2002
Pages:28 - 41

[\[Abstract\]](#) [\[PDF Full-Text \(1047 KB\)\]](#) IEEE JNL

18 From Boolean to probabilistic Boolean networks as models of genetic regulatory networks

Shmulevich, I.; Dougherty, E.R.; Wei Zhang;

Proceedings of the IEEE , Volume: 90 , Issue: 11 , Nov. 2002
Pages:1778 - 1792

[\[Abstract\]](#) [\[PDF Full-Text \(468 KB\)\]](#) [\[Full-Text HTML\]](#) [IEEE JNL](#)

19 High-performance cellular automata random number generators for embedded probabilistic computing systems

Shackleford, B.; Tanaka, M.; Carter, R.J.; Snider, G.;

Evolvable Hardware, 2002. Proceedings. NASA/DoD Conference on , 15-18 July 2002

Pages:191 - 200

[\[Abstract\]](#) [\[PDF Full-Text \(820 KB\)\]](#) [IEEE CNF](#)

20 Towards development in evolvable hardware

Gordon, T.G.W.; Bentley, P.J.;

Evolvable Hardware, 2002. Proceedings. NASA/DoD Conference on , 15-18 July 2002

Pages:241 - 250

[\[Abstract\]](#) [\[PDF Full-Text \(490 KB\)\]](#) [IEEE CNF](#)

21 A collective-based adaptive symbiotic model for surface reconstruction in area-based stereo

Yannis Goulermas, J.; Liatsis, P.;

Evolutionary Computation, IEEE Transactions on , Volume: 7 , Issue: 5 , Oct. 2003

Pages:482 - 502

[\[Abstract\]](#) [\[PDF Full-Text \(4511 KB\)\]](#) [IEEE JNL](#)

22 A BIST pattern generator design for near-perfect fault coverage

Mitrajit Chatterjee; Pradhan, D.K.;

Computers, IEEE Transactions on , Volume: 52 , Issue: 12 , Dec. 2003

Pages:1543 - 1558

[\[Abstract\]](#) [\[PDF Full-Text \(579 KB\)\]](#) [IEEE JNL](#)

23 Quantum-effect and single-electron devices

Goodnick, S.M.; Bird, J.;

Nanotechnology, IEEE Transactions on , Volume: 2 , Issue: 4 , Dec. 2003

Pages:368 - 385

[\[Abstract\]](#) [\[PDF Full-Text \(1592 KB\)\]](#) [IEEE JNL](#)

24 Simplicial RTD-based cellular nonlinear networks

Julian, P.; Dogaru, R.; Itoh, M.; Hanggi, M.; Chua, L.O.;

Circuits and Systems I: Fundamental Theory and Applications, IEEE Transactions on [see also Circuits and Systems I: Regular Papers, IEEE Transactions on] , Volume: 50 , Issue: 4 , April 2003

Pages:500 - 509

[\[Abstract\]](#) [\[PDF Full-Text \(1704 KB\)\]](#) [IEEE JNL](#)

25 Comparing evolutionary algorithms on binary constraint satisfaction problems

Craenen, B.G.W.; Eiben, A.E.; van Hemert, J.I.;
Evolutionary Computation, IEEE Transactions on , Volume: 7 , Issue: 5 , Oct. 2003
Pages:424 - 444

[\[Abstract\]](#) [\[PDF Full-Text \(904 KB\)\]](#) [IEEE JNL](#)

26 Logic and memory with nanocell circuits
Husband, C.P.; Husband, S.M.; Daniels, J.S.; Tour, J.M.;
Electron Devices, IEEE Transactions on , Volume: 50 , Issue: 9 , Sept. 2003
Pages:1865 - 1875

[\[Abstract\]](#) [\[PDF Full-Text \(1407 KB\)\]](#) [IEEE JNL](#)

27 Identification of probabilistic cellular automata
Billings, S.A.; Yingxu Yang;
Systems, Man and Cybernetics, Part B, IEEE Transactions on , Volume: 33 , Issue: 2 , April 2003
Pages:225 - 236

[\[Abstract\]](#) [\[PDF Full-Text \(882 KB\)\]](#) [IEEE JNL](#)

28 Building quantum wires: the long and the short of it
Oskin, M.; Chong, F.T.; Chuang, I.L.; Kubiawicz, J.;
Computer Architecture, 2003. Proceedings. 30th Annual International Symposium on , 9-11 June 2003
Pages:374 - 385

[\[Abstract\]](#) [\[PDF Full-Text \(428 KB\)\]](#) [IEEE CNF](#)

29 Exploiting ghost-FSMs as a BIST structure for sequential machines
Roy, S.; Maulik, U.; Sikdar, B.K.;
VLSI Design, 2003. Proceedings. 16th International Conference on , 4-8 Jan. 2003
Pages:155 - 160

[\[Abstract\]](#) [\[PDF Full-Text \(338 KB\)\]](#) [IEEE CNF](#)

30 Cryptosystem designed for embedded system security
Sen, S.; Hossain, S.I.; Islam, K.; Chowdhuri, D.R.; Chaudhuri, P.P.;
VLSI Design, 2003. Proceedings. 16th International Conference on , 4-8 Jan. 2003
Pages:271 - 276

[\[Abstract\]](#) [\[PDF Full-Text \(350 KB\)\]](#) [IEEE CNF](#)

31 Genetic algorithm calibration of probabilistic cellular automata for modeling mining permit activity
Louis, S.J.; Raines, G.L.;
Tools with Artificial Intelligence, 2003. Proceedings. 15th IEEE International Conference on , 3-5 Nov. 2003
Pages:515 - 519

[\[Abstract\]](#) [\[PDF Full-Text \(243 KB\)\]](#) [IEEE CNF](#)

32 Spectral methods for testing membership in certain post classes

and the class of forcing functions*Shmulevich, I.; Lahdesmaki, H.; Egiazarian, K.;*

Signal Processing Letters, IEEE , Volume: 11 , Issue: 2 , Feb. 2004

Pages:289 - 292

[\[Abstract\]](#) [\[PDF Full-Text \(128 KB\)\]](#) [IEEE JNL](#)

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved